



PLACID HEALTHCARE PRIVATE

LIMITED Block-1,62, Alkapuri Society, Behind Raj Mandir, R.C. Dutt Road, Alkapuri, Baroda, Gujarat- 390007.

SR. NO.	PRODUCT	STRENGTH	VOLUME	THERAPEUTIC AREA
1	ACE-TINE (ACETYLCYSTEINE)	200MG/ML	2ML AMPOULE	Acetylcysteine is used for respiratory disease with excessive mucus. It acts as mucolytic (loosen mucus in airways) when used in oral preparations while when used as injection it treats paracetamol overdose toxicity . It thins and loosens mucus (phlegm) making it easier to cough out.
2	CLINDACID (CLINDAMYCIN PHOSPHATE)	150MG/ML	2/4ML AMPOULE	Lincosamide antibiotic. This is used for serious infection caused by Anaerobic bacteria Streptococci, Staphylococci, Pneumococci
3	COLICID (CITICOLINE)	250MG/ML	2ML AMPOULE	Citicoline is used in the treatment of stroke, head injury, Alzheimer's disease and dementia in Parkinson's disease . Citicoline is a nerve protecting medicine. It works on the brain by nourishing the nerve cells, protects them from damage and improves their survival.
4	CLOVIR 500 (ACYCLOVIR)	500MG/VIAL	500MG	Acyclovir is an antiviral medication. It prevents the multiplication of virus in human cells. This stops the virus from producing new viruses and clears up your infection. Acyclovir is used in the treatment of herpes labialis, herpes simplex virus infections, shingles, genital herpes infection and chickenpox .
5	DOBACID (DOBUTAMINE)	50MG/ML	5ML AMPOULE	Inotropic agent for management of congestive heart failure .
6	EDACID	1.5MG/ML	20ML	Edaravone is used in the treatment of

	(EDARAVONE)			amyotrophic lateral sclerosis (ALS). Edaravone is an antioxidant. It has nootropic (enrichment of nerves) and neuroprotective properties. It works by slowing the nerve damage caused by harmful chemicals
7	LABETACID (LABETALOL)	5MG/ML	4ML AMPOULE	Labetalol is used in the treatment of Hypertension (high blood pressure), Angina (heart-related chest pain) and Heart failure. Labetalol is an alpha and beta blocker. It works by slowing down the heart rate and relaxing blood vessels which makes the heart more efficient at pumping blood around the body.
8	LEVO-PRIDE (LEVOSULPRIDE)	12.5MG/ML	2ML AMPOULE	Levosulpiride is a typical antipsychotic. It works by increasing the release of acetylcholine (a chemical messenger). This increases the movement of stomach and intestines, and prevents reflux (acid going up to the food pipe). Treatment of Functional dyspepsia (INDIGESTION) ☐ Treatment of Diabetic gastroparesis (diabetic nerve disease affecting stomach)
9	LEVOTIN (LEVOCARNITINE)	200MG/ML	5ML AMPOULE	Levo-carnitine is used in the treatment of carnitine deficiency. Levocarnitine belongs to the class of medications called as amino acid derivative. It works by improving the low levels of carnitine in the body.
10	LEVE-TAM (LEVETIRACETAM)	100MG/ML	5ML VIAL/AMPOULE	Levetiracetam is used to treat certain types of seizures in people with epilepsy, including ☐ partial onset seizures, ☐ myoclonic seizures ☐ and tonic-clonic seizures.
11	NORCID (NORADRENALINE)	2MG/ML	2ML	Norepinephrine is indicated for ☐ blood pressure control in certain acute hypotensive states (e.g., pheochromocytectomy, sympathectomy, poliomyelitis, spinal anaesthesia, myocardial infarction, septicaemia, blood transfusion, and drug reactions). ☐ Norepinephrine is also indicated as an

				adjunct in the treatment of cardiac arrest and profound hypotension.
12	ORNITATE (L-ORNITHINE L-ASPARTATE)	0.5MG/ML	10ML AMPOULE	L-Ornithine L-Aspartate is a combination of two amino acids which works by protecting the liver from harmful chemical substances (free radicals), thus preventing liver damage.
13	OCTIDE 100 (OCTREOTIDE ACETATE)	100MCG/ML	1ML AMPOULE	Octride 0.1mg Injection is used in the treatment of acromegaly, carcinoid tumors, and bleeding esophageal varices. It is also used to prevent complications following surgery of the pancreas.
14	PIRACID (PIRACETAM)	200MG/ML	15ML AMPOULE	Piracetam is used in the treatment of Alzheimer's disease, stroke, dementia in Parkinson's disease, age related memory loss and head injury. Piracetam is a nootropic medicine. It works by increasing the activity of a chemical messenger (acetylcholine) which improves communication between the nerve cells.
15	PLACIBAN (TIROFIBAN HYDROCHLORIDE)	0.05MG/ML	100ML	Tirofiban is an antiplatelet medication. It works by preventing the platelets from sticking together, thereby decreasing the formation of harmful blood clots. Tirofiban is used to prevent Heart attack. It helps assist the blood flow to your heart and prevent chest pain and heart attack.
16	P-TERMIN (MEPHENTERMINE SULPHATE)	30MG/ML	10ML VIAL	Mephentermine is used in the treatment of decreased blood pressure. Mephentermine is a sympathomimetic medicine. <ul style="list-style-type: none"> ☐ It helps to release a chemical messenger (adrenaline), which compresses the blood vessels. ☐ It also promotes the heart's contractile ability to pump more blood. Hence, it works to increase your blood pressure.
17	SUCROCID (IRON SUCROSE)	20MG/ML	2.5/5ML AMPOULE	Iron Sucrose is used in the treatment of iron deficiency anemia. Iron Sucrose is an anti-anemic medication. Iron is vital for the formation of new red blood cells

				and hemoglobin, a substance that gives these cells the ability to transport oxygen.
18	TERLIN (TERLIPRESSIN)	0.10MG/ML	10ML	Terlipressin works on the walls of blood vessels, causing them narrow and decrease the blood flow into the affected veins . This helps to stop or slow the bleeding.
19	VITA-B1 (THIAMINE)	100MG/ML	2ML AMPOULE	Peripheral Neuropathy
20	ZOLENDROCID (ZOLENDRONIC ACID)	0.05MG/ML	100ML	Zolendrocid 4mg Injection is used to treat or prevent weakening of the bones (osteoporosis) caused by menopause or use of steroids. Using this medicine can reduce your risk of breaking bones. It is also used to treat high levels of calcium in people who have cancer.